



## CONSTRUCTION PRODUCTS REGULATION 2011 DECLARATION OF PERFORMANCE

DoP No: LAI.ML.036

1. Unique identification code of the product-type:

**TWO PIECE FOREND VERSIONS:  
10.862.2/10.862R.2 Nightlatch, 11.861/11.861R Sashlock,  
13.861/13.861R Latch, 13.862/13.862R Bathroom Lock**

2. Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4) of the CPR:

**TWO PIECE FOREND VERSIONS:  
10.862.2/10.862R.2 Nightlatch, 11.861/11.861R Sashlock,  
13.861/13.861R Latch, 13.862/13.862R Bathroom Lock**

3. Intended use or uses of the construction product, in accordance with the applicable harmonized technical specification, as foreseen by the manufacturer:

**For use on fire/smoke compartmentation doors**

4. Name, registered trade name or registered trade mark and contact address of the manufacturer as required under Article 11(5):

**LAIDLAW LIMITED  
STRAWBERRY LANE, WILLENHALL,  
WEST MIDLANDS WV13 3RS,  
UNITED KINGDOM**

5. Where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12(2):

**N/A**

6. System or systems of assessment and verification of constancy of performance of the construction product as set out in CPR, Annex V:

**System 1**

7. In case of the declaration of performance concerning a construction product covered by a harmonized standard:

**EN 12209:2003/AC2005  
1121-CPR-AG5130**

**Notified testing laboratory No.1121 performed the type testing and issued test reports.**

8. European Technical Assessment:

**N/A**

9. Declared performance

Essential characteristics	Performance	Harmonised technical specification
	<b>Mechanical &amp; fire test evidence:</b> 328570-A, 328570-B, 328570-D, 328570-E, WF No. 334702	
<b>Self closing</b> <b>5.4.2 Closing force</b>  <b>5.1.2 Re-latching force of latch bolt</b>	<b>Grade 8 = 200kg door mass with 15N maximum closing force</b>  <b>&gt;2.5N</b>	<b>EN 12209: 2003 / AC 2005</b>
<b>Durability of self closing</b> <b>5.3.1 Durability of latch action</b>	<b>Grade X = 200,000 cycles with 120N side load on latch bolt.</b>	
<b>Ability to maintain the door in the closed position and not contribute to its spread of fire</b>	<b>Grade 1</b>	
<b>Control of Dangerous substances</b>	<b>If a reference to dangerous substances is added in the table ZA.1, the following claim is suggested:</b> <b>Pass: the materials in the lock do not contain or release any dangerous substances in excess of the maximum levels specified in existing European material standards or any national regulations (1)</b>	

10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9.

This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

**Signed for and on behalf of the manufacturer by:**

Mr Steve Lee  
 Chief Executive Officer  
 Date of issue: 01/03/2018  
 Strawberry Lane  
 Wolverhampton, West Midlands WV13 3RS  
 United Kingdom

